# Safety Data Sheet DILUENTE SM-MET

Safety Data Sheet dated 29/01/2024 version 2



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Identification of the substance:

Trade name: DILUENTE SM-MET

Trade code: L0000563 CAS number: 110-19-0

Registration Number 01-2119488971-22

EC number: 203-745-1 Index number: 607-026-00-7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Coatings and paints, thinners, paint removers

Diluente per prodotti vernicianti

Liquido Impieghi industriali Uses advised against: N.A.

#### 1.3. Details of the supplier of the safety data sheet

Company: Lechler SpA - Via Cecilio, 17 - 22100 Como - CO - Italy

Telefono: +39031586111 First Email: safety@lechler.eu

#### 1.4. Emergency telephone number

## **SECTION 2: Hazards identification**





#### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

Flam. Liq. 2 Highly flammable liquid and vapour. STOT SE 3 May cause drowsiness or dizziness.

Adverse physicochemical, human health and environmental effects:

No other hazards

## 2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

## Hazard pictograms and Signal Word



Date 25/04/2024 Production Name DILUENTE SM-MET Page n. 1 of 8

#### **Hazard statements**

H225 Highly flammable liquid and vapour.H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P312 In caso di malessere, contattare un CENTRO ANTIVELENI/un medico.

P370+P378 In caso d'incendio: utilizzare sabbia secca, prodotto chimico secco o schiuma resistente all'alcool per

estinguere.

P403+P235 Store in a well-ventilated place. Keep cool.

#### **Special Provisions:**

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

#### 2.3. Other hazards

This substance has no PBT, vPvB or endocrine disrupting properties

Other Hazards: No other hazards

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance Identifications: acetato di isobutile

CAS number: 110-19-0
EC number: 203-745-1
Index number: 607-026-00-7
Registration Number 01-2119488971-22

#### 3.2. Mixtures

N.A.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

N.A.

## 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

In caso d'incendio: utilizzare sabbia secca, prodotto chimico secco o schiuma resistente all'alcool per estinguere.

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

 Date
 25/04/2024
 Production Name
 DILUENTE SM-MET
 Page n. 2 of 8

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non emergency personnel:

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

#### For emergency responders:

Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Advice on general occupational hygiene:

## 7.2. Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Conservare ad una temperatura compresa tra 5º e 35°C. Tenere lontano da fiamme libere e sorgenti di calore. Evitare l'esposizione diretta al sole.

Keep away from unquarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

## 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters Country

**OEL** 

Type	-	-	-	
SUVA	SWITZERI AN	Long Term:	480 ma/m	3 - 100 pp

National Institute for Occupational Safety and Health

**Occupational Exposure Limit** 

**SUVA** SWITZERLAN Breve Termine 960 mg/m3 - 200 ppm

Se il valore limite di esposizione professionale viene rispettato, le lesioni al feto sono

improbablili.

25/04/2024 **Production Name DILUENTE SM-MET** Page n. 3 of 8 Date

**ACGIH** Long Term: 50 ppm; Breve Termine 150 ppm

Eye and URT irr

ΕU Long Term: 241 mg/m3 - 50 ppm; Breve Termine 723 mg/m3 - 150 ppm

Behaviour Indicative

2019/1831/UE

### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

Thermal Hazards:

NΑ

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless Odour: N.A. pH: Not Relevant

Kinematic viscosity: <= 20,5 mm2/sec (40 °C)

Melting point/freezing point: N.A.

Boiling point or initial boiling point and boiling range: 116.6 °C (241.9 °F)

Flash point: 20.5 °C (68.9 °F) Lower and upper explosion limit: N.A.

Relative vapour density: N.A. Vapour pressure: N.A.

Density and/or relative density: 0.87 g/cm3

Solubility in water: N.A. Solubility in oil: N.A.

Partition coefficient n-octanol/water (log value): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Flammability: The product is classified Flam. Lig. 2 H225 Kinematic viscosity m2/s (40°C) <= 20,5 mm2/sec (40 °C)

Viscosity: = 25.00 s - Method: ASTM D 1200 82 - Sezione: 2.00 mm

#### **Particle characteristics:**

Particle size: N.A.

## 9.2. Other information

Evaporation rate: N.A. Miscibility: N.A. Conductivity: N.A.

No other relevant information

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Data not available.

## 10.2. Chemical stability

Data not available.

#### 10.3. Possibility of hazardous reactions

None.

## 10.4. Conditions to avoid

Data not available.

#### 10.5. Incompatible materials

25/04/2024 Date **Production Name DILUENTE SM-MET** Page n. 4 of 8

#### 10.6. Hazardous decomposition products

Data not available.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Toxicological Information of the Substance**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure The product is classified: STOT SE 3(H336)

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties:**

This substance has no endocrine disrupting properties

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

#### 12.2. Persistence and degradability

N.A.

#### 12.3. Bioaccumulative potential

N.A.

## 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

This substance has no PBT or vPvB properties

## 12.6. Endocrine disrupting properties

This substance has no endocrine disrupting properties

## 12.7. Other adverse effects

N.A.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Date 25/04/2024 Production Name DILUENTE SM-MET Page n. 5 of 8

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

1263

#### 14.2. UN proper shipping name

ADR-Shipping Name: PAINT RELATED MATERIAL IATA-Technical name: PAINT RELATED MATERIAL IMDG-Technical name: PAINT RELATED MATERIAL

#### 14.3. Transport hazard class(es)

ADR-Class: 3
IATA-Class: 3
IMDG-Class: 3

#### 14.4. Packing group

ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

#### 14.5. Environmental hazards

Toxic ingredients quantity: 0.00 Very toxic ingredients quantity: 0.00

Marine pollutant: No Environmental Pollutant: No IMDG-EMS: F-E, <u>S-E</u>

#### 14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: 3

ADR - Hazard identification number: 33 ADR-Special Provisions: 163 367 640D 650

ADR-Transport category (Tunnel restriction code): 2 (D/E)

## Air (IATA):

IATA-Passenger Aircraft: 353 IATA-Cargo Aircraft: 364

IATA-Label: 3

IATA-Subsidiary hazards: -

IATA-Erg: 3L

IATA-Special Provisions: A3 A72 A192

Sea (IMDG):

IMDG-Stowage Code: Category B

IMDG-Stowage Note: IMDG-Subsidiary hazards: -

IMDG-Special Provisions: 163 367

#### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Date 25/04/2024 Production Name DILUENTE SM-MET Page n. 6 of 8

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regolamento (UE) n. 2021/849 (ATP 17 CLP)

Regolamento (UE) n. 2022/692 (ATP 18 CLP)

Regulation (EU) n. 2020/878

# Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3, 40

Restrictions related to the substances contained: None.

#### Provisions related to directive EU 2012/18 (Seveso III):

# Seveso III category according Lower-tier threshold (tonnes) Upper-tier threshold (tonnes)

to Annex 1, part 1

Product belongs to category: P5c 5000 50000

## Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

#### German Water Hazard Class.

Classe 1: poco pericoloso.

#### Lagerklasse according to TRGS 510:

LGK 3

#### SVHC Substances:

**NOSVHCCOMPS** 

#### Dir. 2010/75/CE (Direttiva COV)

Volatile Organic compounds - VOCs = 100.00 %

Volatile Organic compounds - VOCs = 870.00 g/L

Estimated Total Content of Water 0.00 %

Estimated Total Solid Content 0.00 %

#### Classificazione in accordo con VbF

Classificazione in accordo con VbF A I - Punto di infiammabilità inferiore a 21 °C, non mescolabile in acqua a 15 °C

#### Mal-Code (Denmark)

Mal-Code (Denmark) Mal Factor Unit of Measure Revision Status / Number Regulatory Base

3 - 1 1.201 m3 air/10 g 1993 Administrative determined MAL-Factors

#### Biocidi

REGOLAMENTO (CE) N. 528/2012

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the substance.

#### **SECTION 16: Other information**

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

Date 25/04/2024 Production Name DILUENTE SM-MET Page n. 7 of 8

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

 $IMDG:\ International\ Maritime\ Code\ for\ Dangerous\ Goods.$ 

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

#### Paragraphs modified from the previous revision:

- SECTION 9: Physical and chemical properties

- SECTION 14: Transport information

Date 25/04/2024 Production Name DILUENTE SM-MET Page n. 8 of 8